

Boomerang, reflector for Ostar 6chip LEDs



OSRAM
www.osram.com

- Specially designed for ostar-os 6chip series of LEDs.
- Special care taken to make a uniform white or warm white illumination. Lenses work well with other colors, too.
- Lens material optical grade metallized ABS. Allows use of high current and temperature conditions
- Best available optical efficiency, up to 90%.


LENS TYPES

NAME	ORDERING CODE	FWHM Angle
BOOMERANG	Boomerang (n. 10437)	±14° x ±15°


© Ledil Oy – PRELIMINARY - Subject to change without prior notice

MEASUREMENT DATA

Boomerang reflector with ostar 6chip silicon LED (horizontal)




Boomerang reflector with ostar 6chip silicon LED (vertical)



EULUMDAT & IES FILES AVAILABLE BY REQUEST

© Ledil Oy – PRELIMINARY - Subject to change without prior notice

DRAWINGS



Material: ABS metallized

This drawing is our property. It can't be reproduced or communicated without our written agreement.



Ledil Oy
Tehdaskatu 13
FIN-24100 SALO
Finland

DRAWING TITLE		Boomerang-reflector	
DRAWN BY RM	DATE 21.11.2007	SIZE A4	DRAWING NUMBER 10437
CHECKED BY HH	DATE 21.11.2007	SCALE 1:1	REV 0.1
DESIGNED BY HH	DATE 21.11.2007	WEIGHT (g)	SHEET 1/1